

| | | |
|--|--|---------------------------------|
| Wednesday June 30, 40-S2-A01 (open session) | | |
| | | |
| | | <i>Chair: S. Myers</i> |
| 14h30 | Welcome | R. Aymar |
| 14h40 | Charge to the committee (10min) | S. Myers |
| 15h00 | The LHC collimation project - implementation of a phased approach (30min) | R. Assmann |
| 15h45 | Coffee | |
| | | |
| | | <i>Chair: R. Assmann</i> |
| 16h00 | Operational baseline assumptions (15min) | M. Lamont |
| 16h30 | LHC aperture and collimator settings (15min) | S. Redaelli |
| 17h00 | Machine protection role of collimators (15min) | R. Schmidt |
| 17h30 | Collimator and beamline heating (15min) | V. Vlachoudis |
| 18h00 | Adjourn | |

| | | |
|--|--|------------------------------------|
| Thursday July 1, 40-S2-A01 (open session) | | |
| | | <i>Chair: P. Sievers</i> |
| 8h45 | Logistics (5 min) | M. Mayer |
| 8h50 | Mechanical engineering and thermo-dynamical calculations (30 min) | A. Bertarelli |
| 9h30 | Results from heating test (15min) | S. Calatroni |
| 10h00 | Manufacturing at CERN | M. Mayer |
| 10h30 | Coffee | |
| | | |
| | | <i>Chair: P. Cruikshank</i> |
| 11h00 | Mechanical robustness (15min) | O. Aberle |
| 11h30 | Status of energy deposition studies IR3 (15min) | J.B. Jeanneret |
| 12h00 | Status of energy deposition studies IR7 (15min) | M. Magistris |
| 12h30 | Vacuum system in the cleaning insertions (15min) | C. Rathjen |
| 13h00 | Lunch | |

| | | |
|--|--|-----------------------------------|
| Thursday July 1, 40-S2-A01 (open session) | | |
| | | <i>Chair: J.P. Riunaud</i> |
| 14h00 | Impedance and trapped modes from collimators (15min) | E. Metral |
| 14h30 | The beam loss monitoring system (15min) | B. Holzer |
| 15h00 | Collimator functionality, performance and first view on set-up and optimization (15min) | R. Assmann |
| 15h30 | The collimation of the LHC ion beams (15min) | H. Braun |
| 16h00 | Coffee | |
| | | |
| | | <i>Chair: R. Bailey</i> |
| 16h30 | Machine tolerances in cleaning insertions (15min) | J. Wenninger |
| 17h00 | Collimator motorization and control (15min) | F. Decorvet |
| 17h30 | Integration into control system (15min) | M. Jonker |
| 18h00 | Radiological issues (15min) | S. Roesler |
| 18h30 | Closure | L. Evans |
| 18h40 | Adjourn | |